### For Reference Only

### PHYSICIAN ASSISTANT 2014

#### Summary of Services and Availability (by location)

Each location has sufficient space, equipment, staffing and financial resources in place or available in sufficient time as required to support each requested privilege. On an ongoing basis, the organization consistently determines the resources necessary for each requested privilege related to the facility's scope of service.

Please review the following **Summary of Services and Availability by Location** prior to making your selections. If a facility is specifically identified below as <u>NOT</u> having a privilege/service available, you will <u>NOT</u> be considered for that privilege at that individual facility. Any request made that is identified as <u>not available</u> at an individual site will be considered Not Applicable for that site(s), and will be identified as such on your final approved Delineation of Privileges form.

#### "x" means Privilege is Available at that location.

#### "C" means contractual arrangement restricts granting this privilege.

#### "N/A" means Privilege Not Available at that location.

Facility Codes:

MAGEE= Magee Womens Hospital of UPMC

| Privilege   | Level of<br>Supervision | MAGEE |
|---|-------------------------|-------|
| CORE SCOPE OF PRACTICE                                      |                         | X     |
| Endotracheal Intubation                                     | Personal                | X     |
|   | Personal                | X     |
| Reduction of Dislocated Joints                              | Direct                  | X     |
|   | General                 | X     |
|   | Personal                | X     |
| Reduction of Minor Dislocated Joints Not Requiring Sedation | Direct                  | X     |
|   | General                 | X     |
|   | Personal                | X     |
| Insertion of chest tubes and pigtail catheters              | Direct                  | X     |
|   | General                 | N/A   |
|   | Personal                | X     |
| Removal of chest tubes and pigtail catheters                | Direct                  | X     |
|   | General                 | X     |
|   | Personal                | X     |
| Insertion of CVP lines catheters                            | Direct                  | X     |
|   | General                 | Х     |
|   | Personal                | X     |
| Removal of CVP lines catheters                              | Direct                  | X     |
|   | General                 | X     |
|   | Personal                | X     |
| Insertion of PICC lines                                     | Direct                  | X     |
|   | General                 | N/A   |
| Removal of PICC lines                                       | Personal                | X     |
|   | Direct                  | X     |

# For Reference Only

# PHYSICIAN ASSISTANT 2014

Page 2 of 7

| Privilege   |             | MAGEE |
|---|-------------|-------|
|   | Level of    |       |
|   | Supervision |       |
|   | General     | X     |
|   | Personal    | Х     |
| Umbilical Arterial/Venous line placement                            | Direct      | Х     |
|   | General     | N/A   |
|   | Personal    | Х     |
| Lumbar Puncture   | Direct      | Х     |
|   | General     | N/A   |
|   | Personal    | Х     |
| Myelogram   | Direct      | Х     |
|   | General     | N/A   |
|   | Personal    | X     |
| Thoracentesis   | Direct      | Х     |
|   | General     | N/A   |
|   | Personal    | X     |
| Paracentesis  | Direct      | Х     |
|   | General     | Х     |
|   | Personal    | X     |
| Arthrocentesis (Joint Aspiration)                                   | Direct      | X     |
|   | General     | X     |
|   | Personal    | X     |
| Fluoroscopic procedures and guidance (To Include UGI, BE and        | Direct      | X     |
| Others) (Certificate Required)                                      | General     | X     |
|   | Personal    | X     |
| Bone Marrow Aspiration and Bone Marrow Biopsy                       | Direct      | X     |
|   | General     | N/A   |
|   | Personal    | X     |
| Bone Marrow Harvest   | Direct      | X     |
|   | General     | N/A   |
|   | Personal    | X     |
| Fine Needle Aspiration  | Direct      | X     |
|   | General     | Х     |
|   | Personal    | X     |
| Aspiration of abscesses, cysts, seromas of peritoneum, soft tissue, | Direct      | X     |
| muscle, and extremities   | General     | Х     |
|   | Personal    | X     |
| Incision/drainage/closure of skin                                   | Direct      | X     |
|   | General     | X     |
|   | Personal    | X     |
| Shunt taps including ventricular reservoir                          | Direct      | Х     |
|   | General     | N/A   |
|   | Personal    | X     |
| Bladder Instillation  | Direct      | Х     |
|   | General     | Х     |
| Assist in the Operating Room and Procedural Areas for Procedures    | Personal    | X     |

# For Reference Only

# PHYSICIAN ASSISTANT 2014

Page 3 of 7

| Privilege  | Level of<br>Supervision | MAGEE |
|--|-------------------------|-------|
| Within Supervising Physician's Granted Privileges              | Direct                  | X     |
| The supervising raysion of orange raysions                     | General                 | N/A   |
|  | Personal                | X     |
| Harvesting of Vein (Radial And Saphenous) Grafts for use as an | Direct                  | X     |
| Arterial Graft, Includes Graft Closure                         | General                 | N/A   |
| Clinical clearance of cervical spines in trauma patients       | Personal                | X     |
|  | Direct                  | N/A   |
|  | Personal                | X     |
| Pacer wire removal   | Direct                  | Х     |
|  | General                 | Х     |
|  | Personal                | X     |
| Subungual Hematoma Drainage                                    | Direct                  | Х     |
| c c  | General                 | Х     |
|  | Personal                | X     |
| Program/reprogram adjustable shunt valves                      | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| Botox Injections   | Direct                  | X     |
| ·  | General                 | N/A   |
|  | Personal                | X     |
| Baclofen Pump Refills, Pump Analysis and Reprogramming         | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| Intrathecal Injection of Baclofen                              | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | Х     |
| Baclofen Pump Dye Studies                                      | Direct                  | Х     |
|  | General                 | N/A   |
|  | Personal                | Х     |
| Rectal Tube Placement and Irrigations                          | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | Х     |
| Rectal Dilations and Upsizing                                  | Direct                  | Х     |
|  | General                 | Х     |
|  | Personal                | Х     |
| Colposcopy of Genital Tract                                    | Direct                  | Х     |
|  | General                 | Х     |
|  | Personal                | Х     |
| Cryotherapy of Cervix/Warts                                    | Direct                  | Х     |
|  | General                 | Х     |
|  | Personal                | X     |
| Pelvic Examination under Anesthesia                            | Direct                  | Х     |
|  | General                 | N/A   |
| Tympanocentesis  | Personal                | X     |

# For Reference Only

# PHYSICIAN ASSISTANT 2014

Page 4 of 7

| Privilege  | Level of<br>Supervision | MAGEE |
|--|-------------------------|-------|
|  | Supervision             |       |
|  | Direct                  | X     |
|  | General                 | N/A   |
|  | Personal                | Х     |
| Intraosseous Needle Placement and Intraosseous Administration of<br>Drugs  | Direct                  | X     |
| Diugs  | General                 | N/A   |
|  | Personal                | Х     |
| Administration of anxiolytics (PALS or ACLS Certificate  | Direct                  | X     |
| Required)  | General                 | N/A   |
| Assist Anesthesiologist in performing single injection peripheral nerve blocks   | Personal                | X     |
| Assist Anesthesiologist in performing continuous peripheral nerve blocks   | Personal                | X     |
|  | Personal                | X     |
| Documentation of Code Status   | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| Insertion of Pulmonary Artery Catheter   | Direct                  | N/A   |
|  | General                 | N/A   |
|  | Personal                | Х     |
| Manipulation of Pulmonary Artery Catheter  | Direct                  | N/A   |
|  | General                 | N/A   |
|  | Personal                | X     |
| Urgent cardioversion in the critical care unit limited to patients with<br>hemodynamic compromise and secure airway  | Direct                  | X     |
| nemodynamic compromise and secure an way   | General                 | N/A   |
|  | Personal                | X     |
| Change established Tracheostomy tube   | Direct                  | Х     |
|  | General                 | N/A   |
|  | Personal                | Х     |
| Tracheostomy decannulation   | Direct                  | N/A   |
|  | General                 | N/A   |
| Insertion of arterial catheters: sites include radial, femoral, and  | Personal                | X     |
| brachial   | Direct                  | X     |
|  | General                 | N/A   |
| Initiation of transcutaneous paging or paging via anicordial wires   | Personal                | X     |
| Initiation of transcutaneous pacing or pacing via epicardial wires<br>and adjustment of settings   | Direct                  | X     |
|  | General                 | N/A   |
| Emergeney defibrillation or cordioversion (ACLS or DALS  | Personal                | Х     |
| Emergency defibrillation or cardioversion (ACLS or PALS<br>Certificate Required)   | Direct                  | X     |
|  | General                 | X     |
| The stime condition and introd has a short of the state o | Personal                | Х     |
| Elective cardioversion assisted by a physician with moderate sedation privileges   | Direct                  | N/A   |
| sectation privileges   | General                 | N/A   |
| Removal of percutaneously inserted intra-aortic balloon pump   | Personal                | X     |
| Removal of percutaneously inserted initia-aoffic balloon pump  | Direct                  | N/A   |

# For Reference Only

# PHYSICIAN ASSISTANT 2014

Page 5 of 7

| Privilege  | Longlef                 | MAGEE |
|--|-------------------------|-------|
|  | Level of<br>Supervision |       |
|  | General                 | N/A   |
|  | Personal                | X     |
| Nuclear medicine shuntogram studies                              | Direct                  | N/A   |
| Ũ  | General                 | N/A   |
|  | Personal                | X     |
| Intrathecal administration of chemotherapy                       | Direct                  | X     |
|  | General                 | N/A   |
|  | Personal                | X     |
| Prescribe narcotic medicines (DEA Required)                      | Direct                  | X     |
| -  | General                 | X     |
|  | Personal                | X     |
| Application, Modification, Removal of plaster, Window, and Bi-   | Direct                  | X     |
| valve casts, splints, and slings                                 | General                 | X     |
|  | Personal                | X     |
| Declare death/time of death                                      | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| Obtain informed consent for blood, blood products and procedures | Direct                  | X     |
| institutionally privileged to perform                            | General                 | X     |
|  | Personal                | X     |
| Ordering of chemical and physical restraints                     | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| EVD removal with placement of sutures                            | Direct                  | N/A   |
|  | General                 | N/A   |
|  | Personal                | X     |
| Flushing of EVD  | Direct                  | N/A   |
|  | General                 | N/A   |
|  | Personal                | Х     |
| Hyperbaric oxygen therapy  | Direct                  | X     |
|  | General                 | N/A   |
|  | Personal                | X     |
| Skin biopsy  | Direct                  | X     |
|  | General                 | X     |
|  | Personal                | X     |
| Electrodessication and curettage                                 | Direct                  | X     |
|  | General                 | N/A   |
|  | Personal                | X     |
| Intralesional, subcutaneous, or intramuscular injections         | Direct                  | Х     |
|  | General                 | X     |
|  | Personal                | X     |
| Cryotherapy  | Direct                  | X     |
|  | General                 | N/A   |
| Skin excisions   | Personal                | X     |

### For Reference Only

### PHYSICIAN ASSISTANT 2014

Page 6 of 7

| Privilege                      | Level of<br>Supervision | MAGEE |
|--------------------------------|-------------------------|-------|
|                                | Direct                  | X     |
|                                | General                 | X     |
|                                | Personal                | X     |
| Skin cultures                  | Direct                  | X     |
|                                | General                 | X     |
|                                | Personal                | X     |
| Patch testing                  | Direct                  | X     |
|                                | General                 | X     |
|                                | Personal                | X     |
| Electro heat and cautery       | Direct                  | X     |
|                                | General                 | N/A   |
|                                | Personal                | X     |
| Curettage                      | Direct                  | Х     |
|                                | General                 | X     |
| Excisional (sharp) debridement | Personal                | X     |
|                                | Direct                  | X     |
|                                | General                 | X     |
| Telemedicine                   | Personal                | N/A   |
|                                | Direct                  | N/A   |
|                                | General                 | N/A   |

### SPECIAL PRIVILEGES ONLY FOR NEONATAL PHYSICIAN ASSISTANTS

| Privilege   | Level of<br>Supervision |     |
|---|-------------------------|-----|
| Endotracheal Intubation   | General                 | X   |
|   | Personal                | X   |
| Bladder Tap   | Direct                  | X   |
|   | General                 | N/A |
|   | Personal                | X   |
| Administration of procedural sedation and analgesia for the<br>neonatal population (Neonatal or Pediatric ALS Required) | Direct                  | X   |
| neonatal population (Neonatal of Fediatic ALS Required)   | General                 | N/A |
|   | Personal                | Χ   |
| Care of Patients on ECMO under Supervision of Neonatology<br>Faculty  | Direct                  | Χ   |
| Taculty   | General                 | N/A |

### **DEGREE OF SUPERVISION**

Personal Supervision (P): A physician must be in attendance in the room during the performance of the procedure.

**Direct Supervision (D):** The physician must be present in the procedural suite and immediately available to furnish assistance and direction throughout the performance of the procedure. It does not mean that the physician must be present in the room when the procedure is performed.

## For Reference Only

## **PHYSICIAN ASSISTANT 2014**

Page 7 of 7

**General Supervision (G):** The procedure is furnished under the physician's overall direction and control, but the physician's presence is not required during the performance of the procedure. Under general supervision, the training of the nonphysician personnel who actually performs the diagnostic procedure and the maintenance of the necessary equipment and supplies are the continuing responsibility of the physician.

Revised: 8/14/14